



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0  
Issued: 2026-02-20

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

TECPO Motoröl 5W-40 X-TREME PLUS 502/505\_en

**Article No.**

300201

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Engine oil.

**Not suitable for use in**

No further relevant information available.

### 1.3. Details of the supplier of the safety data sheet

**SDS created by**

Gefahrgutberatung Florian Herber, Erbigsweg 12, 36137 Großenlütder

Telefon: 0163 / 8408334

E-Mail: kontakt@gefahrgut-herber.de

www.gefahrgut-herber.de

**Supplier**

TECPO GmbH

Address

Dreherstraße 16-20

42899 Remscheid

Germany

Telephone

+49 2191 951 3305

Email

info@tecpo.de

Fax

+49 2191 951 33044

Web site

www.tecpo.de

Contact person

Baris Ünsal



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0  
Issued: 2026-02-20

## 1.4. Emergency telephone number

### Poison center/Additional emergency number

+49 (0) 89 19240 (Available 24/7) - Poison Emergency Call Munich (Available for the public.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Description

This mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Supplemental hazard statements

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

No further relevant information available.



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0

Issued: 2026-02-20

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

| Chemical name  | CAS No.<br>EC No.<br>REACH No.<br>Index No.                 | Concentration | Classification  | H-pharse<br>M factor acute<br>M factor chronic | Specific concentration limits<br>ATE   | Note  |
|--|---|---------------|---|--|--|---|
| Distillates (petroleum), hydrotreated heavy paraffinic   | 64742-54-7<br>265-157-1<br>01-2119484627-25<br>649-467-00-8 | 10 - <20%     | Asp. Tox. 1   | H304<br>-<br>-                                 |  | dermal:<br>LD50 =<br>>5000<br>mg/kg; oral:<br>LD50 =<br>>5000<br>mg/kg  |
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts | 85940-28-9<br>288-917-4<br>01-2119521201-61<br>-            | 1 - <2,5%     | Skin Irrit. 2,<br>Eye Dam. 1,<br>Aquatic<br>Chronic 2 | H315, H318,<br>H411<br>-<br>-                  |  | dermal:<br>LD50 =<br>>20000<br>mg/kg Skin<br>Irrit. 2;<br>H315: >=<br>15 - 100<br>Eye Dam.<br>1; H318: >=<br>20 - 100<br>Eye Irrit. 2;<br>H319: >=<br>15 - < 20 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts                                     | 70024-69-0<br>274-263-7<br>01-2119492616-28-XXXX<br>-       | 0,3 - <1%     | Skin Sens. 1B   | H317<br>-<br>-                                 | Skin Sens. 1B, H317:<br>10% ≤ C ≤ 100% | -   |

**Product based on**

Mixture containing mineral oil. Mineral oil with < 3% DMSO extract according to IP 346.

**Substance additional information**

For the complete text of H- / EUH-statements mentioned in this section, see section 16.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In all cases of doubt or if symptoms are present, seek medical advice. In case of unconsciousness and If unconscious and not breathing, place in recovery position and seek medical advice. Remove soiled, soaked clothing Take off immediately.

#### Inhalation

Take the affected person out into the fresh air and keep them warm and calm.

#### Skin contact

Wash off immediately with soap and water and rinse thoroughly.

#### Eye contact

Rinse opened eye for several minutes under running water. Consult an eye specialist immediately.

#### Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Drink plenty of water in drink in small sips. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt or if symptoms are present, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, extinguishing powder, carbon dioxide (CO<sub>2</sub>).

#### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Do not inhale explosion and fire gases.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## Other

### Measures in case of fire

Collect contaminated extinguishing water separately. Do not allow to enter drains or waterways. Do not into the subsoil/soil.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Protective measures: see section 7 + 8.

### 6.2. Environmental precautions

Do not allow to enter drains/surface water/ground water.

Do not allow to enter the subsoil/soil. Thoroughly clean soiled objects and floors in compliance with environmental regulations.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder).

Dispose of the collected material in accordance with the regulations (Section 13).

### 6.4. Reference to other sections

See SECTIONS 7+8+13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Preventive handling precautions

Use personal protective equipment. Do not eat, drink or smoke during use. Provide fresh air fresh air. Open and handle container with care. Conditions to avoid: Aerosol generation/formation.

#### General hygiene

Do not eat, drink, smoke or take snuff at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed.

Store in a cool and well-ventilated place.

Protect from heat, direct sunlight and frost.

Storage class according to TRGS 510: 10 - Flammable liquids that cannot be assigned to any of the aforementioned LGKs

### 7.3. Specific end use(s)

Observe the technical data sheet.



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0

Issued: 2026-02-20

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits

- a no restriction
- b End of exposure or end of shift
- c for long-term exposure: after several previous shifts
- d before subsequent layer

Y: A risk of fruit damage need not be feared if the occupational exposure limit value (OEL) and the biological limit value (BGW) are complied with

Z: A risk of fruit damage cannot be excluded even if the occupational exposure limit value (OEL) and the biological limit value (BGW) are complied with

Blood (B)

Urine (U)

##### DNEL/DMEL

| Product/Substance name<br>(CAS No./EC No.)   | Type | Exposure                          | Value                   | Population | Effects  |
|--|------|-----------------------------------|-------------------------|------------|----------|
| Distillates (petroleum), hydrotreated heavy paraffinic<br>(64742-54-7/265-157-1)   | DNEL | Chronic (long term)<br>Dermal     | 0,97 mg/kg bw/day       | Workers    | Systemic |
| Distillates (petroleum), hydrotreated heavy paraffinic<br>(64742-54-7/265-157-1)   | DNEL | Chronic (long term)<br>Inhalation | 2,73 mg/m <sup>3</sup>  | Workers    | Systemic |
| Distillates (petroleum), hydrotreated heavy paraffinic<br>(64742-54-7/265-157-1)   | DNEL | Chronic (long term)<br>Inhalation | 5,58 mg/m <sup>3</sup>  | Workers    | Local    |
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>(85940-28-9/288-917-4) | DNEL | Chronic (long term)<br>Dermal     | 9,6 mg/kg bw/day        | Workers    | Systemic |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts<br>(70024-69-0/274-263-7)                                     | DNEL | Chronic (long term)<br>Inhalation | 11,75 mg/m <sup>3</sup> | Workers    | Systemic |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts<br>(70024-69-0/274-263-7)                                     | DNEL | Chronic (long term)<br>Dermal     | 3,33 mg/kg bw/day       | Workers    | Systemic |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts<br>(70024-69-0/274-263-7)                                     | DNEL | Chronic (long term)<br>Dermal     | 1,03 mg/cm <sup>2</sup> | Workers    | Local    |
| Benzenesulfonic acid, mono-C16-24-alkyl  | DNEL | Chronic (long term)               | 0,833 mg/kg             | Consumers  | Systemic |



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0

Issued: 2026-02-20

| Product/Substance name<br>(CAS No./EC No.)  | Type | Exposure                          | Value                    | Population | Effects  |
|---|------|-----------------------------------|--------------------------|------------|----------|
| derivs., calcium salts<br>(70024-69-0/274-263-7)  |      | Oral                              | bw/day                   |            |          |
| Benzenesulfonic acid, mono-C16-24-alkyl<br>derivs., calcium salts<br>(70024-69-0/274-263-7) | DNEL | Chronic (long term)<br>Dermal     | 1,667 mg/kg<br>bw/day    | Consumers  | Systemic |
| Benzenesulfonic acid, mono-C16-24-alkyl<br>derivs., calcium salts<br>(70024-69-0/274-263-7) | DNEL | Chronic (long term)<br>Dermal     | 0,513 mg/cm <sup>2</sup> | Consumers  | Local    |
| Benzenesulfonic acid, mono-C16-24-alkyl<br>derivs., calcium salts<br>(70024-69-0/274-263-7) | DNEL | Chronic (long term)<br>Inhalation | 2,9 mg/m <sup>3</sup>    | Consumers  | Systemic |

### PNEC/PEC

| Product/Substance name<br>(CAS No./EC No.)  | Type | Environmental compartment  | Value              |
|---|------|----------------------------|--------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic<br>(64742-54-7/265-157-1)  | PNEC | Oral (Secondary Poisoning) | 9,33 mg/kg<br>food |
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and<br>isobutyl and isopropyl) esters, zinc salts<br>(85940-28-9/288-917-4) | PNEC | Freshwater                 | 0,004 mg/l         |

## 8.2. Exposure controls

### Appropriate engineering controls

see SECTION 7. No further measures are required.

### Personal Protective Equipment Symbols



### Eye / face protection

Frame spectacles with side protection (DIN EN ISO 16321)

### Hand protection

Wear suitable protective gloves. Recommended glove brands: EN ISO 374 Suitable material: NBR (nitrile rubber). Breakthrough time: > 480 min (thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into account. It is recommended to clarify the chemical resistance of the above mentioned protective gloves for special applications with the glove manufacturer. Protective creams can help to protect exposed areas of the skin. These should never be applied after contact.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

### **Other skin protection**

Wear protective clothing.

### **Respiratory protection**

When used properly and under normal conditions, respiratory protection is not required. If splashes or fine mist are formed, an approved respirator suitable for this purpose must be worn. Suitable respirator: Filtering half mask (DIN EN 149), e.g. FFA P / FFP3.

### **Environmental exposure controls**

Do not discharge into drains, water courses or onto the ground.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### **Physical state**

Liquid

#### **Colour**

Brown.

#### **Odour**

Characteristic.

#### **Melting point / freezing point**

Not determined.

#### **Boiling point or initial boiling point and boiling range**

Not determined.

#### **Flammability**

Non-flammable.

#### **Lower and upper explosion limit**

Lower: 0.6% by volume; Upper: 10% by volume

#### **Flash point**

≥ 200 °C

#### **Method**

EN ISO 2592

#### **Auto-ignition temperature**

Not determined.

#### **Decomposition temperature**

Not determined.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0  
Issued: 2026-02-20

**pH**

Not applicable.

**Kinematic viscosity**

~ 14 mm<sup>2</sup>/s

**Method**

ASTM D 7042

**Viscosity, dynamic**

Not applicable.

**Solubility**

No data available

**Water solubility**

insoluble

**Partition coefficient n-octanol/water**

Not determined.

**Vapour pressure**

< 0,1 hPa

**Density and/or relative density**

0,86 g/cm<sup>3</sup>

**Method**

at 15 °C

**Relative vapour density**

Not determined.

**Particle characteristics**

Not applicable.

**9.2. Other information**

Pourpoint: <= -27 °C ASTM D 7346

**Other**

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

There is no information available.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## 10.2. Chemical stability

There is no information available.

## 10.3. Possibility of hazardous reactions

No hazardous reactions will occur if handled and stored as directed.

## 10.4. Conditions to avoid

Heat.

## 10.5. Incompatible materials

There is no information available.

## 10.6. Hazardous decomposition products

There is no information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapor) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Repeated dose toxicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0

Issued: 2026-02-20

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Other information

If the general rules of occupational safety and industrial hygiene are observed, there is no risk to the health of personnel when handling this product.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

No data available for the mixture.

#### Acute fish toxicity

| Product / Substance name<br>CAS / EC no.   | Measurement type | Value / Result | Duration of exposure | Species                              | Method / Guideline |
|--|------------------|----------------|----------------------|--------------------------------------|--------------------|
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>85940-28-9 / 288-917-4 | LC50             | 4,5 mg/l       | 96 hours             | Onchorhynchus mykiss (Rainbow trout) | OECD 203           |
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>85940-28-9 / 288-917-4 | NOEC             | 1,8 mg/l       | 4 days               | Onchorhynchus mykiss (Rainbow trout) | OECD 203           |

#### Acute algae toxicity



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0

Issued: 2026-02-20

| Product / Substance name<br>CAS / EC no.   | Measurement type | Value / Result | Duration of exposure | Species                   | Method / Guideline |
|--|------------------|----------------|----------------------|---------------------------|--------------------|
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>85940-28-9 / 288-917-4 | ErC50            | 2,1 mg/l       | 96 hours             | Selenastrum capricornutum | OECD 201           |

### Acute crustacean toxicity

| Product / Substance name<br>CAS / EC no.   | Measurement type | Value / Result | Duration of exposure | Species       | Method / Guideline |
|--|------------------|----------------|----------------------|---------------|--------------------|
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>85940-28-9 / 288-917-4 | EC50             | 5,4 mg/l       | 48 hours             | Daphnia magna | OECD 202           |
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts<br>85940-28-9 / 288-917-4 | NOEC             | < 1 mg/l       | 2 days               | Daphnia magna | OECD 202           |

#### 12.2. Persistence and degradability

No data available for the mixture.

#### 12.3. Bioaccumulative potential

No data available for the mixture.

| Product / Substance name<br>CAS / EC no.   | LogKow / LogPow |
|--|-----------------|
| Phosphorodithionic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and isopropyl) esters, zinc salts | 8,87            |



# TECPO Motoröl 5W-40 X-TREME PLUS

## 502/505\_en

Version number: 1.0  
Issued: 2026-02-20

| Product / Substance name<br>CAS / EC no. | LogKow / LogPow |
|--|-----------------|
| 85940-28-9 / 288-917-4                   |                 |

### 12.4. Mobility in soil

#### Mobility

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not fulfill the PBT/vPvB criteria according to REACH, Annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain any substance with endocrine disrupting properties towards non-target organisms, as no ingredient fulfills the criteria.

### 12.7. Other adverse effects

No data available.

### Other

#### German Water Class

WGK1 - slightly water endangering

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal considerations

Do not discharge into drains, water courses or onto the ground. Waste and containers must be disposed of in a safe manner. Disposal in accordance with Directive 2008/98/EC on waste and hazardous waste.

#### Packaging

Non-contaminated and completely emptied packaging can be recycled. Contact the responsible authorized waste disposal company for waste disposal.

| Waste code | Waste description   |
|------------|---|
| 13 02 05*  | mineral-based non-chlorinated engine, gear and lubricating oils |

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## SECTION 14: Transport information

### 14.1. UN number

No dangerous goods in the sense of these transport regulations.

### 14.2. UN proper shipping name

#### ADR / RID / ADN proper shipping name

No dangerous goods in the sense of these transport regulations.

### 14.3. Transport hazard class(es)

#### Label

No dangerous goods in the sense of these transport regulations.

#### ADR / RID Class

No dangerous goods in the sense of these transport regulations.

#### ADR / RID Classification code

No dangerous goods in the sense of these transport regulations.

#### ADR / RID hazard identification number

No dangerous goods in the sense of these transport regulations.

#### IMDG Class

No dangerous goods in the sense of these transport regulations.

### 14.4. Packing group

No dangerous goods in the sense of these transport regulations.

### 14.5. Environmental hazards

No.

#### IMDG Marine Pollutant

No.

### 14.6. Special precautions for user

No data available.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Annex XVII (REACH): The product is subject to the following restrictions according to Annex XVII, Regulation (EC) 1907/2006 (REACH): 75

Information on the IE Directive 2010/75/EU : 0 %

Information on the SEVESO III Directive 2012/18/EU : Not subject to the SEVESO III Directive

#### National regulations

Water hazard classification : 1 - slightly water endangering  
Classification of mixtures according to Annex 1, No. 5 AwSV

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

#### Phrase meaning

Asp. Tox. 1 - Aspiration hazard, hazard category 1  
Skin Irrit. 2 - Skin irritation, hazard category 2  
Eye Dam. 1 - Serious eye damage, hazard category 1  
Aquatic Chronic 2 - Hazardous to the aquatic environment — Chronic hazard category 2  
Skin Sens. 1B - Skin sensitisation, hazard category 1, sub-category 1B  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.  
EUH210 Safety data sheet available on request.



# TECPO Motoröl 5W- 40 X-TREME PLUS 502/505\_en

Version number: 1.0

Issued: 2026-02-20

## Other

### Additional information

The information is based on our current state of knowledge, but does not constitute a guarantee of product properties and does not establish a contractual legal relationship. The recipient of our products is responsible for observing existing laws and regulations. The information in this safety data sheet corresponds to the best of our knowledge at the time of printing. The information is intended to provide you with guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. If the product is mixed, blended or processed with other materials processed or subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.

### Manufacturer's notes

The data of the relevant components were taken from the latest safety data sheet of the upstream supplier.